



HAEM 12 CONTROL L
HAEM 12 CONTROL N
HAEM 12 CONTROL H

Nr kat/ Cat. No/ Кат. № 8-604
Nr kat/ Cat. No/ Кат. № 8-605
Nr kat/ Cat. No/ Кат. № 8-606

Seria/Lot/Серия:
204-B0522

Data ważn. / Exp./ Срок годности:
2022.08.05

ABX Micros 60 (odczynniki/ reagents/ реагенты PZ CORMAY S.A.)						
Parametry/ Parameters/ Параметры	HAEM 12 CONTROL					
	LOW		NORMAL		HIGH	
	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±
WBC 10 ⁹ /l	2.0	0.5	7.4	1.0	18.9	2.5
RBC 10 ¹² /l	2.21	0.18	4.70	0.24	5.74	0.30
Hb g/dl	6.2	0.3	13.7	0.4	18.1	0.5
Hb mmol/l	3.9	0.2	8.5	0.3	11.2	0.3
Hct %	15.9	1.5	38.9	2.0	51.8	2.4
Hct l/l	0.159	0.015	0.389	0.020	0.518	0.024
MCV fl	72.0	5.0	83.0	5.0	90.0	5.0
MCH pg	28.2	2.5	29.3	2.5	31.5	2.5
MCH fmol	1.75	0.09	1.82	0.09	1.96	0.10
MCHC g/dl	39.3	3.0	35.3	3.0	34.9	3.0
MCHC mmol/l	24.4	1.5	21.9	1.3	21.7	1.3
RDW %	15.2	3.0	15.1	3.0	13.5	3.0
Plts 10 ⁹ /l	75	29	263	38	530	71
MPV fl	9.5	3.0	8.8	3.0	8.2	3.0
PCT %	0.071	0.036	0.231	0.069	0.434	0.108
PCT ml/l	0.711	0.356	2.312	0.690	4.338	1.080
PDW fl	14.4	5.7	15.3	4.6	15.3	3.1
LYMP %	48.7	19.5	26.9	8.1	12.7	3.8
MONO %	17.0	15.3	8.8	7.9	3.6	3.2
GRAN %	34.3	10.3	64.3	19.3	84.2	25.2
LYMP #	0.9	0.3	1.9	0.6	2.3	0.7
MONO #	0.3	0.3	0.6	0.5	0.6	0.5
GRAN #	0.7	0.2	4.8	1.4	15.5	4.6

Mindray: BC 3000 Plus (odczynniki/ reagents/ реагенты PZ CORMAY S.A.)						
Parametry/ Parameters/ Параметры	HAEM 12 CONTROL					
	LOW		NORMAL		HIGH	
	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±
WBC 10 ⁹ /l	1.9	0.5	7.9	1.0	19.8	2.5
RBC 10 ¹² /l	2.32	0.18	4.86	0.24	5.91	0.30
Hb g/dl	6.2	0.3	14.2	0.4	19.2	0.6
Hb mmol/l	3.9	0.2	8.8	0.3	11.9	0.4
Hct %	17.2	1.5	41.1	2.0	54.8	2.4
Hct l/l	0.172	0.015	0.411	0.020	0.548	0.024
MCV fl	74.1	5.0	84.6	5.0	92.7	5.0
MCH pg	26.9	2.5	29.2	2.5	32.5	2.5
MCH fmol	1.69	0.08	1.83	0.09	2.04	0.10
MCHC g/dl	36.3	3.0	34.5	3.0	35.1	3.0
MCHC mmol/l	22.5	1.4	21.4	1.3	21.8	1.3
RDW-SD fl	39.9	6.0	44.9	6.7	44.4	6.7
RDW %	15.3	3.0	15.0	3.0	13.5	3.0
Plts 10 ⁹ /l	74	30	264	38	535	68
MPV fl	9.0	3.0	8.2	3.0	7.9	3.0
PCT %	0.066	0.033	0.216	0.065	0.425	0.106
PCT ml/l	0.663	0.332	2.164	0.650	4.246	1.060
PDW fl	16.1	6.4	15.7	4.7	15.6	3.1
LYMP %	57.8	23.1	30.6	9.2	13.2	4.0
MONO %	11.9	10.7	9.4	8.5	6.1	5.5
GRAN %	30.4	9.1	59.9	18.0	80.7	24.2
LYMP #	1.1	0.4	2.4	0.7	2.6	0.8
MONO #	0.2	0.2	0.7	0.7	1.2	1.1
GRAN #	0.6	0.2	4.8	1.4	16.1	4.8

Orphee Mythic 18 (odczynniki/ reagents/ реагенты PZ CORMAY S.A.)						
Parametry/ Parameters/ Параметры	HAEM 12 CONTROL					
	LOW		NORMAL		HIGH	
	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±
WBC 10 ⁹ /l	2.0	0.5	7.9	1.0	20.1	2.5
RBC 10 ¹² /l	2.23	0.18	4.62	0.24	5.68	0.30
Hb g/dl	5.9	0.4	13.8	0.6	18.6	0.8
Hb mmol/l	3.7	0.2	8.6	0.3	11.6	0.3
Hct %	17.3	1.5	39.0	2.0	52.2	2.4
Hct l/l	0.173	0.015	0.390	0.020	0.522	0.024
MCV fl	77.7	5.0	84.4	5.0	91.9	5.0
MCH pg	26.5	2.5	29.9	2.5	32.8	2.5
MCH fmol	1.65	0.09	1.85	0.09	2.04	0.10
MCHC g/dl	34.1	3.0	35.4	3.0	35.7	3.0
MCHC mmol/l	21.2	1.4	22.0	1.3	22.2	1.3
RDW-SD fl	48.5	6.0	49.0	8.0	48.2	7.4
RDW %	16.6	3.0	16.0	3.0	14.2	3.0
Plts 10 ⁹ /l	72	29	252	40	523	68
MPV fl	9.0	3.0	8.6	3.0	8.1	3.0
PCT %	0.064	0.040	0.218	0.070	0.424	0.100
PCT ml/l	0.644	0.400	2.175	0.700	4.241	1.000
PDW fl	12.7	5.0	14.9	4.5	15.2	4.0
PLCR %	18.5	6.00	15.9	9.6	12.9	8.4
LYMP %	57.3	9.0	30.0	9.0	14.4	6.0
MONO %	9.7	9.6	6.0	5.4	2.8	2.6
GRAN %	33.0	10.0	64.0	8.0	82.8	8.0
LYMP #	1.1	0.5	2.4	0.7	2.9	1.2
MONO #	0.2	0.2	0.5	0.4	0.6	0.5
GRAN #	0.7	0.2	5.1	1.5	16.7	5.0

Orphee Mythic 18 (odczynniki/ reagents/ реагенты ORPHEE SA)						
Parametry/ Parameters/ Параметры	HAEM 12 CONTROL					
	LOW		NORMAL		HIGH	
	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±	Srednia/ Mean/ Среднее	Zakres ±/ Range ±/ Предел±
WBC 10 ⁹ /l	2.0	0.5	7.8	1.0	19.7	2.5
RBC 10 ¹² /l	2.26	0.18	4.68	0.24	5.71	0.30
Hb g/dl	5.7	0.4	13.8	0.6	18.6	0.8
Hct %	17.4	1.5	39.3	2.0	52.2	2.4
MCV fl	77.0	5.0	84.0	5.0	91.5	5.0
MCH pg	25.2	2.5	29.5	2.5	32.6	2.5
MCHC g/dl	32.8	3.0	35.1	3.0	35.6	3.0
RDW %	16.5	3.0	15.0	3.0	14.5	3.0
RDW-SD fl	45.0	6.0	45.0	6.0	45.0	6.0
Plts 10 ⁹ /l	75	20	260	40	520	60
MPV fl	8.8	3.0	8.5	3.0	8.2	3.0
PCT %	0.070	0.040	0.215	0.050	0.430	0.060
PDW fl	12.0	5.0	15.0	4.0	16.0	4.0
PLCR %	19.0	6.0	16.0	6.0	13.5	6.0
LYMP %	55.0	7.0	28.0	7.0	12.0	6.0
MONO %	12.0	5.0	7.0	5.0	4.0	3.0
GRAN %	33.0	7.0	65.0	7.0	84.0	8.0
LYMP #	1.1	0.2	2.2	0.6	2.4	1.2
MONO #	0.2	0.1	0.5	0.4	0.8	0.6
GRAN #	0.7	0.2	5.1	0.6	16.5	1.6